

Č. ref. bodu	Souřadnice referenčního bodu			TOC			PM ₁₀		PM _{2,5}
	X	Y	Z	hod	den	rok	den	rok	rok
	[m]	[m]	[m n.m.]	[μg*m ⁻³]					
1	-834018.6	-1068530	398.7	28.760	20.661	0.190	3.223	0.034	0.010
2	-833918.6	-1068530	396.8	29.205	20.151	0.195	3.932	0.039	0.011
3	-833818.6	-1068530	392.1	25.628	16.201	0.191	4.860	0.044	0.012
4	-833718.6	-1068530	389.5	23.319	13.938	0.200	5.848	0.047	0.013
5	-833618.6	-1068530	389.9	25.535	16.669	0.229	6.976	0.051	0.014
6	-833518.6	-1068530	390.6	30.035	20.384	0.263	8.700	0.059	0.017
7	-833418.6	-1068530	392.3	37.180	25.453	0.293	11.056	0.069	0.020
8	-833318.6	-1068530	391.5	41.436	29.102	0.281	13.029	0.076	0.022
9	-833218.6	-1068530	396.7	60.444	32.703	0.314	13.402	0.071	0.021
10	-833118.6	-1068530	398.7	67.186	39.410	0.292	11.380	0.059	0.017
11	-833018.6	-1068530	398.3	55.402	33.981	0.258	9.168	0.048	0.014
12	-832918.6	-1068530	400.3	54.853	36.269	0.273	7.037	0.040	0.012
13	-832818.6	-1068530	400.0	47.021	32.015	0.254	5.957	0.036	0.010
14	-834018.6	-1068430	396.7	28.232	19.682	0.224	3.819	0.067	0.018
15	-833918.6	-1068430	394.9	28.265	19.011	0.234	4.397	0.057	0.016
16	-833818.6	-1068430	391.4	25.200	15.536	0.235	5.285	0.064	0.018
17	-833718.6	-1068430	388.2	23.139	15.239	0.243	6.366	0.072	0.020
18	-833618.6	-1068430	387.1	26.160	18.301	0.268	7.642	0.077	0.022
19	-833518.6	-1068430	386.7	29.986	21.938	0.309	9.459	0.083	0.023
20	-833418.6	-1068430	387.8	37.209	27.660	0.343	12.544	0.103	0.029
21	-833318.6	-1068430	391.5	53.513	39.637	0.388	19.379	0.127	0.037
22	-833218.6	-1068430	396.0	68.138	47.862	0.384	21.466	0.121	0.035
23	-833118.6	-1068430	391.8	43.840	31.868	0.241	16.387	0.094	0.027
24	-833018.6	-1068430	393.1	37.315	25.528	0.293	12.687	0.078	0.023
25	-832918.6	-1068430	391.5	30.519	20.160	0.280	9.980	0.066	0.019
26	-832818.6	-1068430	395.2	37.140	23.028	0.279	7.539	0.051	0.015
27	-834018.6	-1068330	394.2	25.834	17.498	0.244	4.316	0.064	0.018
28	-833918.6	-1068330	391.4	24.788	15.673	0.253	4.992	0.090	0.024
29	-833818.6	-1068330	390.8	24.686	14.820	0.273	5.593	0.102	0.028
30	-833718.6	-1068330	388.7	24.305	16.227	0.285	6.759	0.116	0.032
31	-833618.6	-1068330	387.1	27.439	19.603	0.309	8.344	0.130	0.036
32	-833518.6	-1068330	386.1	31.668	23.551	0.352	10.362	0.145	0.041
33	-833418.6	-1068330	385.4	33.694	25.065	0.499	12.579	0.163	0.047
34	-833318.6	-1068330	389.5	56.802	42.255	0.760	26.106	0.252	0.073
35	-833218.6	-1068330	390.3	55.242	41.094	0.494	30.795	0.246	0.072
36	-833118.6	-1068330	387.7	39.307	29.241	0.436	18.431	0.162	0.047
37	-833018.6	-1068330	389.4	35.696	26.300	0.400	14.231	0.124	0.036
38	-832918.6	-1068330	388.2	28.905	20.551	0.345	10.404	0.090	0.026
39	-832818.6	-1068330	390.9	25.370	16.531	0.309	8.043	0.066	0.019
40	-834018.6	-1068230	389.7	19.558	12.530	0.231	4.641	0.078	0.022
41	-833918.6	-1068230	387.0	18.139	10.899	0.240	5.517	0.105	0.029
42	-833818.6	-1068230	387.0	19.971	12.971	0.265	6.596	0.160	0.043
43	-833718.6	-1068230	386.1	22.738	15.653	0.286	7.081	0.245	0.065
44	-833618.6	-1068230	386.0	26.382	19.195	0.310	8.359	0.287	0.077
45	-833518.6	-1068230	385.6	29.985	22.306	0.323	10.285	0.254	0.071
46	-833418.6	-1068230	384.5	29.200	21.428	0.487	12.778	0.312	0.089
47	-833318.6	-1068230	384.5	59.129	43.986	0.719	17.456	0.506	0.147
48	-833218.6	-1068230	384.0	53.820	40.037	1.350	14.311	0.294	0.085
49	-833118.6	-1068230	383.2	28.629	20.162	0.868	14.400	0.315	0.092
50	-833018.6	-1068230	384.8	28.684	21.338	0.568	11.211	0.181	0.053
51	-832918.6	-1068230	385.9	25.614	18.731	0.454	9.386	0.120	0.035
52	-832818.6	-1068230	387.8	22.739	15.631	0.380	7.690	0.086	0.025
53	-834018.6	-1068130	385.8	16.865	10.457	0.226	4.378	0.085	0.023

Č. ref. bodu	Souřadnice referenčního bodu			TOC			PM ₁₀		PM _{2,5}
	X	Y	Z	hod	den	rok	den	rok	rok
	[m]	[m]	[m n.m.]	[μg*m ⁻³]					
54	-833918.6	-1068130	382.1	15.496	9.813	0.214	4.782	0.107	0.029
55	-833818.6	-1068130	380.5	15.709	10.712	0.207	5.164	0.140	0.038
56	-833718.6	-1068130	380.6	17.351	12.413	0.218	5.619	0.200	0.053
57	-833618.6	-1068130	381.4	20.219	14.940	0.233	6.688	0.253	0.068
58	-833518.6	-1068130	378.7	15.936	11.855	0.198	6.357	0.275	0.074
59	-833418.6	-1068130	380.7	21.066	13.873	0.244	8.723	0.309	0.084
60	-833318.6	-1068130	383.3	39.544	26.660	0.298	14.845	0.305	0.084
61	-833218.6	-1068130	383.5	41.846	28.262	1.085	15.891	0.424	0.123
62	-833118.6	-1068130	381.3	22.237	15.234	1.085	10.482	0.452	0.132
63	-833018.6	-1068130	380.8	20.815	15.485	0.698	7.969	0.237	0.069
64	-832918.6	-1068130	383.2	23.538	17.290	0.581	8.288	0.163	0.047
65	-832818.6	-1068130	385.3	21.750	15.091	0.467	7.077	0.111	0.032
66	-834018.6	-1068030	383.4	15.167	9.508	0.205	4.124	0.079	0.022
67	-833918.6	-1068030	378.7	12.842	8.395	0.164	3.772	0.087	0.024
68	-833818.6	-1068030	375.2	11.195	7.905	0.139	3.229	0.095	0.026
69	-833718.6	-1068030	374.7	11.202	8.212	0.136	3.221	0.112	0.030
70	-833618.6	-1068030	374.0	10.823	7.973	0.131	3.547	0.147	0.039
71	-833518.6	-1068030	372.2	10.198	7.425	0.116	3.509	0.118	0.031
72	-833418.6	-1068030	374.9	12.248	9.007	0.109	4.645	0.119	0.032
73	-833318.6	-1068030	380.1	18.212	12.865	0.170	8.145	0.146	0.040
74	-833218.6	-1068030	381.0	20.259	14.278	0.326	9.236	0.178	0.050
75	-833118.6	-1068030	379.0	16.751	12.242	0.571	6.922	0.221	0.063
76	-833018.6	-1068030	378.9	17.128	12.741	0.644	6.014	0.208	0.060
77	-832918.6	-1068030	378.5	15.811	11.705	0.536	4.851	0.149	0.043
78	-832818.6	-1068030	384.2	20.612	14.062	0.527	6.327	0.125	0.036
79	-834018.6	-1067930	384.9	15.839	9.969	0.184	3.830	0.066	0.018
80	-833918.6	-1067930	378.7	12.465	8.004	0.141	3.528	0.072	0.020
81	-833818.6	-1067930	373.0	9.623	6.735	0.106	2.692	0.078	0.021
82	-833718.6	-1067930	369.3	7.998	5.542	0.090	2.570	0.097	0.025
83	-833618.6	-1067930	368.0	7.995	5.520	0.084	2.219	0.131	0.034
84	-833518.6	-1067930	367.6	8.261	6.121	0.077	2.444	0.086	0.022
85	-833418.6	-1067930	369.6	9.255	6.829	0.082	2.959	0.075	0.020
86	-833318.6	-1067930	374.2	11.455	8.377	0.113	4.070	0.087	0.023
87	-833218.6	-1067930	374.9	11.923	8.790	0.161	4.362	0.093	0.025
88	-833118.6	-1067930	373.9	11.137	8.214	0.290	3.869	0.108	0.030
89	-833018.6	-1067930	374.3	11.208	8.280	0.387	3.714	0.118	0.034
90	-832918.6	-1067930	375.4	12.084	8.918	0.425	3.619	0.116	0.033
91	-832818.6	-1067930	384.2	19.416	12.886	0.537	5.742	0.126	0.036
92	-834018.6	-1067830	384.2	15.648	9.873	0.156	3.620	0.055	0.015
93	-833918.6	-1067830	378.3	11.841	7.422	0.117	3.295	0.060	0.016
94	-833818.6	-1067830	371.0	8.399	5.862	0.081	2.320	0.066	0.017
95	-833718.6	-1067830	366.0	6.907	4.667	0.066	1.912	0.087	0.022
96	-833618.6	-1067830	364.5	6.852	4.487	0.060	1.742	0.095	0.024
97	-833518.6	-1067830	365.4	7.228	5.108	0.060	1.967	0.075	0.019
98	-833418.6	-1067830	365.9	7.676	5.618	0.069	2.144	0.062	0.016
99	-833318.6	-1067830	367.9	8.199	6.053	0.085	2.445	0.060	0.016
100	-833218.6	-1067830	368.2	8.296	6.097	0.107	2.499	0.059	0.016
101	-833118.6	-1067830	367.8	8.105	5.799	0.165	2.382	0.064	0.017
102	-833018.6	-1067830	368.8	8.235	5.778	0.231	2.316	0.072	0.020
103	-832918.6	-1067830	371.5	8.986	6.567	0.288	2.599	0.080	0.023
104	-832818.6	-1067830	380.5	15.257	10.149	0.409	4.380	0.100	0.029
105	-834018.6	-1067730	378.8	10.955	7.257	0.104	2.887	0.044	0.012
106	-833918.6	-1067730	376.7	10.587	6.575	0.091	2.864	0.049	0.013

Č. ref. bodu	Souřadnice referenčního bodu			TOC			PM ₁₀		PM _{2,5}
	X	Y	Z	hod	den	rok	den	rok	rok
	[m]	[m]	[m n.m.]	[μg*m ⁻³]					
107	-833818.6	-1067730	368.3	7.077	4.910	0.061	1.978	0.057	0.015
108	-833718.6	-1067730	364.3	6.334	4.477	0.051	1.773	0.083	0.021
109	-833618.6	-1067730	364.0	6.500	4.360	0.049	1.568	0.095	0.024
110	-833518.6	-1067730	365.3	6.945	4.609	0.053	1.740	0.070	0.018
111	-833418.6	-1067730	364.5	6.884	4.572	0.060	1.771	0.056	0.015
112	-833318.6	-1067730	363.1	6.602	4.696	0.066	1.723	0.048	0.013
113	-833218.6	-1067730	363.0	6.572	4.694	0.078	1.720	0.045	0.012
114	-833118.6	-1067730	364.4	6.878	4.581	0.113	1.785	0.047	0.013
115	-833018.6	-1067730	364.9	6.876	4.557	0.154	1.735	0.051	0.014
116	-832918.6	-1067730	367.1	7.141	4.863	0.195	1.871	0.056	0.016
117	-832818.6	-1067730	373.5	9.826	6.770	0.258	2.390	0.067	0.019
118	-834018.6	-1067630	371.5	7.753	4.949	0.065	1.965	0.035	0.009
119	-833918.6	-1067630	370.1	7.474	4.843	0.058	1.905	0.039	0.010
120	-833818.6	-1067630	363.2	5.691	4.208	0.043	1.587	0.047	0.012
121	-833718.6	-1067630	360.2	5.484	3.979	0.038	1.520	0.063	0.016
122	-833618.6	-1067630	361.8	5.866	4.150	0.041	1.324	0.081	0.020
123	-833518.6	-1067630	364.3	6.413	4.469	0.048	1.544	0.066	0.017
124	-833418.6	-1067630	362.2	6.136	4.109	0.051	1.436	0.052	0.013
125	-833318.6	-1067630	361.1	5.991	3.898	0.056	1.411	0.043	0.011
126	-833218.6	-1067630	361.0	5.961	3.889	0.063	1.414	0.039	0.010
127	-833118.6	-1067630	362.1	6.141	4.095	0.084	1.445	0.039	0.010
128	-833018.6	-1067630	361.4	5.925	4.073	0.109	1.361	0.039	0.011
129	-832918.6	-1067630	365.1	6.412	4.594	0.146	1.574	0.045	0.012
130	-832818.6	-1067630	364.7	6.154	4.478	0.161	1.479	0.044	0.012
131	-834018.6	-1067530	364.8	5.645	3.957	0.044	1.359	0.026	0.007
132	-833918.6	-1067530	361.7	5.156	3.779	0.037	1.364	0.029	0.008
133	-833818.6	-1067530	360.5	5.143	3.826	0.034	1.441	0.034	0.009
134	-833718.6	-1067530	358.7	5.092	3.769	0.032	1.297	0.046	0.012
135	-833618.6	-1067530	358.9	5.222	3.823	0.036	1.426	0.116	0.029
136	-833518.6	-1067530	359.9	5.450	3.943	0.040	1.163	0.065	0.017
137	-833418.6	-1067530	358.9	5.385	3.828	0.043	1.150	0.046	0.012
138	-833318.6	-1067530	359.3	5.473	3.867	0.047	1.182	0.039	0.010
139	-833218.6	-1067530	359.5	5.504	3.888	0.053	1.198	0.034	0.009
140	-833118.6	-1067530	360.1	5.562	3.963	0.066	1.202	0.033	0.009
141	-833018.6	-1067530	358.8	5.320	3.834	0.082	1.125	0.032	0.009
142	-832918.6	-1067530	363.2	5.807	4.277	0.112	1.340	0.037	0.010
143	-832818.6	-1067530	361.6	5.443	4.037	0.122	1.207	0.036	0.010
maximum:				68.138	47.862	1.350	30.795	0.506	0.147